



HP DeskJet 2931 Wireless All-in-One Color Printer

Brand : HP

Product code: 4D047C

Product name : DeskJet 2931 Wireless All-in-One Color Printer

- Wireless; Print from phone or tablet; HP Instant Ink eligible
 - Print, copy, scan
 - Print speed up to 7.5 ppm (black) and 5.5 ppm (color)
 - Up to 1200 x 1200 rendered dpi
- DeskJet 2931 All-in-One Printer

[HP DeskJet 2931 Wireless All-in-One Color Printer:](#)

Home printing made super simple Setup that's a breeze thanks to HP's easiest-to-use print app. Print everything from return labels to fun, colorful learning worksheets. Simplify printing, ignite creativity and learning.^[3].

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Design	
Duplex printing mode	Manual	Product colour *	White
Print resolution colour	4800 x 1200 DPI	Colour name	Very peri
Print resolution black	1200 x 1200 DPI	Built-in display *	✓
Print technology *	Thermal inkjet	Display	LCD
Printing *	Colour printing	Control type	Buttons
Duplex printing *	✓	Power	
Maximum resolution *	4800 x 1200 DPI	Power consumption (ready)	2.55 W
Print speed (black, normal quality, A4/US Letter) *	7.5 ppm	Power consumption (sleep)	1.31 W
Print speed (colour, normal quality, A4/US Letter)	5.5 ppm	Power consumption (off)	0.1 W
Print speed (black, draft quality, A4/US Letter)	20 ppm	AC input voltage	100 - 240 V
Print speed (colour, draft quality, A4/US Letter)	16 ppm	AC input frequency	50/60 Hz
Print speed (ISO/IEC 24734) black	7.5 ppm	Brand-specific features	
Print speed (ISO/IEC 24734) colour	5.5 ppm	HP Dynamic security	✓
Time to first page (black, normal)	16 s	System requirements	
Time to first page (colour, normal)	20 s	Windows operating systems supported	Windows 10, Windows 11
Copying		Mac operating systems supported	Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Copying *	Colour copying	Operational conditions	
Maximum number of copies	9 copies	Recommended humidity operating range	20 - 80%
Scanning		Recommended operating temperature range (T-T)	15 - 30 °C
Scanning *	Colour scanning	Storage temperature (T-T)	-40 - 60 °C
Optical scanning resolution *	1200 x 1200 DPI	Operating temperature (T-T)	5 - 40 °C
Maximum scan area	216 x 297 mm	Operating altitude	0 - 3000 m
Scan technology	CIS	Non-operating altitude	0 - 4500 m
Image formats supported	JPEG, PNG, TIFF		
Document formats supported	PDF		
Input colour depth	24 bit		
Greyscale levels	256		
Scan drivers	TWAIN		

Fax		Certificates	
Faxing *	✗	Certification	EN 55032:2015+A11:2020 Class B; EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013 +A1:2019; EN 301 489-1 V2.2.3; CISPR 32 2015+A1:2019 Class B; CISPR 35:2016; FCC CFR 47 Part 15; ICES-003, Issue 7; VCCI-CISPR32:2016.
Features			
Recommended duty cycle	50 - 100 pages per month		
Maximum duty cycle *	1000 pages per month		
Digital sender	✗		
Number of print cartridges *	2		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	PCL 3 GUI, PCLm, URF		
All-In-One-multitasking	✓	Sustainability	
Country of origin	China, Vietnam	Sustainability certificates	EPEAT, Forest Stewardship Council (FSC)
HP segment	Home	Sustainable technologies and materials	At least 70% post-consumer recycled plastic; Recyclable through HP Planet Partners; FSC Certified Packaging
Input & output capacity		Weight & dimensions	
Total number of input trays *	1	Width	425 mm
Total input capacity *	60 sheets	Depth	304 mm
Total output capacity *	25 sheets	Height	154 mm
Maximum number of input trays	1	Weight	3.42 kg
Maximum input capacity	60 sheets	Packaging data	
Maximum output capacity	25 sheets	Package width	475 mm
Paper handling		Package depth	191 mm
Maximum ISO A-series paper size *	A4	Package height	354 mm
Maximum print size	209.9 x 349.6 mm	Package weight	4.58 kg
Paper tray media types *	Plain paper, Photo paper, Envelopes	Packaging content	
ISO A-series sizes (A0...A9) *	A4, A6	Cartridge(s) included	✓
ISO B-series sizes (B0...B9)	B5	Included cartridge capacity (black)	100 pages
Envelopes sizes	B5, DL	Included cartridge capacity (CMY)	60 pages
Custom media width	76 - 215 mm	Cables included	AC
Custom media length	127 - 355 mm	Bundled software	HP app, available online
Paper tray media weight	60 - 300 g/m²	Logistics data	
Envelope feeder	No	Harmonized System (HS) code	8443310000
Ports & interfaces		Technical details	
USB port	✓	Box contents	HP Deskjet 2931 All-in-One; HP 807 Setup Black Cartridge; HP 807 Setup Tri-color Cartridge; Regulatory flyer; Setup guide; Reference guide; Power cord, USB cable [For ink volume and page yield information, visit http://hp.com/go/learnaboutsupplies]
USB 2.0 ports quantity	1		
Network			
Wi-Fi standards	Wi-Fi 4 (802.11n), 802.11g, 802.11b, 802.11a	Master (outer) cases per pallet layer	12 pc(s)
Mobile printing technologies	Mopria Print Service, Apple AirPrint		
Performance		Other features	
Maximum internal memory	64 MB	Number of users	3 user(s)
Internal memory *	64 MB	Custom media sizes	76 x 127 to 215 x 355 mm
Built-in processor	✓	Power supply type	Internal
Processor frequency	1000 MHz	Recommended system requirements	Microsoft Windows 11; 10; 1 GHz processor; 2 GB available hard disk space; Internet connection. Apple macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; 2 GB HD; Internet required.
Sound power level (printing)	6.3 dB		Compatible operating systems
		PictBridge	✗
		UNSPSC-code	43212110
		Processor frequency	1 GHz
		Number of print heads	2

Other features

Electromagnetic compatibility	EN 55032:2015+A11:2020 Class B; EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013 +A1:2019; EN 301 489-1 V2.2.3; CISPR 32 2015+A1:2019 Class B; CISPR 35:2016; FCC CFR 47 Part 15; ICES-003, Issue 7; VCCI- CISPR32:2016.
-------------------------------	--



0198701512080



198701512080

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.